

9100192

<u>TO ALL TO WHOM THESE: PRESENTS SHALL COME;</u>

Asgrow Seed Company

Withereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE; IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT ETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT AT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'A1662'

In Lestimony Winercot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed Washington, D.C. at the City of

30th day of October the year of our Lord one thousand nine hundred and ninety-two.

Zflo-Axd MAGGM Socrotary of Agriculture

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, DIRM, Room 404-W. Washington, D.C. 20250, and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

US DEPARTMENT OF AGRICULTURAL MARI			Application is required in order to determine if a plant variety protection
APPLICATION FOR PLANT VARIE	TY PROTECTIO	N CERTIFICATE	certificate is to be insued (7 U.S.C 2421) information is held confidential until certificate is issued (7 U.S.C 2426).
1 NAME OF APPEICANT(S) (as it is to appear on the Certificate)		2 TEMPORARY DESIGNATION OR	3 VARIETY NAME
Asgrow Seed Company		XP1662	A1662
ADDRESS (street and no or RFD no., city, state, and ZIP)		5 PHONE (Include area code)	FOR OFFICIAL USE ONLY
7000 Portage Road		(616) 385-6649	PVPO NUMBER
		(3.3) 333 3313	9100192
Kalamazoo, MI 49001			7100172
			F Date
6 GENUS AND SPECIES NAME	7 FAMILY NAME (Bota		1 May 31,1991
Glycine Max	Leguminosa	7	N □AM □PM
8 CROP KIND NAME (Common Name)	1 9	DATE OF DETERMINATION	F Filing and Examination Fee
Conding			E 3 2150.00
SOUTHER APPLICANT NAMED IS NOT A "PERSON" GIVE FORM OF ORG	ANIZATION (Corporation, o	eptember, 1985	A May 24, 1991
Corporation	, and a second s	ermoratip essociation, etc.)	E Certificate Fee
11 IF INCORPORATED, GIVE STATE OF INCORPORATION	112	DATE OF INCORPORATION	. 1.250. 20 □
Delaware	i	rch 22, 1968	y Date
13 NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, 1			5 Sept. 1, 1992
Mr. Gary E. Starwalt	O SERVE M THIS APPLICA	HON AND RECEIVE ALL PAPERS	,
9646-190-20			
Asgrow Seed Company 7000 Portage Road, Kalamazoo, Mi		•	
		PHONE (Include area cod	" , (616) 385 <u>–6649 </u>
14 CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (F. a X Exhibit A, Origin and Breeding History of the Variety	ollow INSTRUCTIONS on re-	(erse)	•
a X Exhibit A. Origin and Breeding History of the Variety b X Exhibit B. Novelty Statement			
c. X Exhibit C. Objective Description of Variety			•
d X Exhibit D. Additional Description of Variety			
e XX Exhibit E, Statement of the Basis of Applicant's Owners	ship		
t [X] Seed Sample (2,500 viable untreated seeds) Date Sec			
9 X Filing and Examination Fee (\$2.150) made payable to 15 DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE:			
YES (If "YES " answer items 16 and 17 (below) 💢 NO (If	THY AS A CLASS OF CERTIFIED SEED? (SO "NO " thip to dem 18 below)	se section 83(a) of the Plant Variety
16 DOES THE APPLICANTIS) SPECIFY THAT THIS VARIETY BE LIMITED A NUMBER OF GENERATIONS?	S TO 17 #F "YES"	TO ITEM 16, WHICH CLASSES OF PRODU	CTION BEYOND BREEDER SEED?
☐ YES 1 NO	□ =	DUNDATION REGIST	ERED CERTIFIED
18 DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE	VARIETY IN THE US?		
YES (# "YES." through Plant Variety Protection Act	Patent Act Give		
X NO	Fateni ACI Give i	1916	
19 HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR	***************************************		
	MANKETED IN THE US OF	OTHER COUNTRIES?	
YES (II "YES," give names of countries and dates)			
20 The applicantts) declarets) that a viable sample of basic		ill be furnished with the application	on and will be replenished upon
request in accordance with such regulations as may be ap			· · · · · · · · · · · · · · · · · · ·
The undersigned applicant(s) is (are) the owner(s) of the uniform, and stable as required in section 41, and is entit	is sexually reproduced led to protection under	i novel plant variety, and believe the provisions of section 42 of the	e(s) that the variety is distinct, Plant Variety Protection Act.
Applicant(s) is (are) informed that false representation he			-
SIGNATURE OF APPLICANT (Owner(s))	CAPACITY O	R TITLE	DATE
Gary E. Janvalt	1	. 10 . 10 1	4 2m 20 180
Jany 6. Durnay	Ugrenon	ric Business Nevelspares	
SIGNATURE OF APPLICANT (Owner(s))	CĂPACITY D	TITLE	DATE

(winter) Puerto Rico.

EXHIBIT A

ORIGIN AND BREEDING HISTORY OF A1662

1983	Cross was made in 1983. Parentage: A3127 * (Century 84/2/*AP6)
1983-84 (Winter)	F ₁ and F ₂ generation grown at Isabela, Puerto Rico
1984	F generation grown at Redwood Falls, Minnesota. Two-hundred plants selected from a bulk population and threshed individually.
1985	Progeny row GH831626 A85-11206 was selected for its uniformity in plant height and standability. This row was harvested in bulk and seeds were checked and verified for uniform seed coat luster and hilum color.
1986	GH831626 A85-11206 was entered in the preliminary P148 yield test conducted at two locations at Stewart and Redwood Falls, Minnesota.
1987	GH831626 A85-11206 was entered into the advanced V150 yield test conducted at 13 locations in 4 states.
	Three hundred F plants were selected and threshed individually, and then screened for resistance to Phytophthora root rot in January, 1988; 192 sublines were found to be homozygous resistant to race 1.
1988	GH831626 A85-11206 was entered into the advanced V100 yield test conducted at 8 locations in 3 states.
	GH831626 A85-11206 was selected for its yield, standability, and disease resistance and was assigned the maturity designation X1662.
	One hundred ninety-two pure rows were grown and X1662-123 was selected as homozygous resistant for pod wall color and resistance to Phytophthora root rot.
	It was in September, 1988 that X1662-123, a ${\rm F}_6$ derived line was determined to be a stable and unique line.
1989	X1662 was entered into the advanced V100 yield trial at 7 locations in 3 states. X1662 was nominated to XP1662 and seed increased.
	A 20-entry sub-line yield test was conducted at 3 locations in 3 states. X1662-123 was selected and bulked as breeders seed.
1989-90 (winter)	Ten pounds of X1662-123 went through a 2-cycle increase at Isabela,

EXHIBIT A

ORIGIN AND BREEDING HISTORY OF A1662 - Continued

1990 XP1662 was entered into the advanced V100 yield trial grown at 7 locations in 3 states.

XP1662 was tested for Phytophthora root rot resistance in April, 1990 and found to be resistant to races 1-5, 7-11, 13, 17 and 21.

Foundation seed of XP1662 was produced near Perry, Iowa.

XP1662 was nominated for release and assigned the designation A1662.

Al662 is uniform and stable within commercially acceptable limits based on trial observations since X1662-123 was identified in 1988. As with other soybean varieties, variants can occur for almost any characteristic during the course of repeated sexual reproduction.

EXHIBIT B

NOVELTY STATEMENT CONCERNING A1662 SOYBEAN

To our knowledge the soybean varieties that most closely resemble A1662 are Kato, A2543, Kenwood, A2234 and A2872. Characteristics which differentiate A1662 include:

1. Pod Wall Color:

Al662 = Brown

Kato = Brown

A2543 = Tan *

Kenwood = Brown

A2234 = Tan *

A2872 = Brown

2. Peroxidase Activity:

A1662 = Low Kato = High * A2543 = High * Kenwood = Low A2234 = Low A2872 = High *

3. Reaction to Races of Phythophthora megasperma f. sp. glycinea:

							Rac	:e										
•	<u>1</u>	2	3	4	5	7	8	<u>9</u>	10	11	12	<u>13</u>	16	<u>17</u>	19	20	<u>21</u>	<u>25</u>
A1662	R	R	R	R	R	R	R	R	R	R	S	R	S	R	S	S	R	S
Kato *	R	R	S	S	S	S	S	S	R	R	R	R	S	R	R	R	R	s
A2543	R	R.	R	R	R	R	R	R	R	R	S	R	S	R	S	S	R	S
Kenwood *	s	s	s	S	s	s	S	S	S	S	S	S.	S	S	S	S	S	S
A2234	R	R	R	R	R	R	R	R	₽R	R	+ S ′≤	R	S	R	s	S	R	S
A2872	R	R	R	R	R	R	R	R	Ŕ	R	s	R	S	R	s	S	R	s

4. Relative Maturity (RM)

		1991	Yield Trial	
		University of Minne	sota · Iowa State	University
•	<u>R M</u>	Central	North	Central
A1662	<u>16</u> -	9-11	9-11	•
Kato	16	9-11		
A2543	25			9-11
Kenwood	23		9-21	
A2234	22	•	9-16	
A2872	28			9-20

EXHIBIT C

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Asgrow Seed Company	XP1662	
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Co		A1662 FOR OFFICIAL USE ONLY
9638-190-23		PVPO NUMBER
Gull Road, Building 190 Kalamazoo, MI 49001		9100192
Choose the appropriate response which characterizes the vin your answer is fewer than the number of boxes provided Starred characters ** are considered fundamental to an ade when information is available.	l, place a zero in the first box w	when number is 9 or less (e.g., 0 9).
1. SEED SHAPE:		
2	.)	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	2 = Spherical Flattened	{L/W ratio > 1.2; L/T ratio = < 1.2} (L/T ratio > 1.2; T/W > 1.2)
7 2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebs	soy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)	****	
1 8 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Bla	ck 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
0 1 = Type A (SP1 ³) 2 = Type B (SP1 ^b)		
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green wit 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson';	th bronze band below cotyledons (" 'Coker Hampton 266A')	Woodworth'; 'Tracy')
10. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	

FORM LMGS-470-57 (6-83)

(Edition of 2-82 is obsolete.)

			7 C/ C/ 1 / L_
11.	LEAFL	.ET SIZE:	
		1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17')	
	2	3 = Large ('Crawford'; 'Tracy')	
· 			
12.	LEAF (COLOR:	
	3	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
	لــــــا	3 - Dark Green (Gnorne ; Tracy)	
★ 13.	FLOWE	ER COLOR:	<u> </u>
		1 = White 2 = Purple 3 = White with purple throat	
	2	1 - Write With purple throat	
★ 14.	POD CO	DLOR:	
*		1 = Tan 2 = Brown 3 = Black	
	2	I fail 2 - blowit 3 - black	
★ 15.	PLANT	PUBESCENCE COLOR:	
	2	1 = Gray 2 = Brown (Tawny)	
	<u> </u>		
16.	PLANT	TYPES:	
·.		1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton')	
	3	3 = Bushy ('Gnome'; 'Govan')	
<u> 17</u>	PLANT	HABIT:	
A :!/			
	3	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	•
★ 18.	MATUR	RITY GROUP:	
- [1 = 000	8 = V
L	4	9 = VI $10 = VII$ $11 = VIII$ $12 = IX$ $13 = X$	
<u> </u>	D105.45		
Ж _19.		SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	
	BACT	ERIAL DISEASES:	
. 🛪	0	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	
*		Bacterial Blight (Pseudomonas glycinea)	•
4	0	Wildfire (Pseudomonas tabaci)	
. 🐔	لتا		
-4-		AL DISEASES:	
*	0	Brown Spot (Septoria glycines)	$\sigma = \frac{1}{2} \left(\frac{1}{2} + \frac{1}{2} \right)$
		Frogeye Leaf Spot (Cercospora sojina)	
*	0	Race 1 Race 2 Race 3 Race 4 Race 5	Other (Specify)
	0	Target Spot (Corynespora cassiicola)	
	<u> </u>		
		Downy Mildew (Peronospora trifoliorum var. manshurica)	
	2	Powdery Mildew (Microsphaera diffusa)	
*	1	Brown Stem Rot (Cephalosporium gregatum)	
	0	Stem Canker (Diaporthe phaseolorum var. caulivora)	,
	101		

FORM LMGS-470-57 (6-83)

19.	DISEASE REACTION	ON: (Enter 0 = Not Tested; 1 = Susceptible	2 = Resistant) (Continued)	9100192
	FUNGAL DISEAS	SES: (Continued)		
. ★	O Pod and Ste	em Blight <i>(Diaporthe phaseolorum v</i> ar; <i>soja</i>	e <i>)</i>	
	O Purple Seed	Stain (Cercospora kikuchii)		
	0 Rhizoctonia	a Root Rot <i>(Rhizoctonia solani)</i>		
	Phytophtho	ora Rot (Phytophthora megasperma var. soja	e)	
*	2 Race 1	2 Race 2 2 Race 3	2 Race 4 2 Race 5	0 Race 6 2 Race 7
	2 Race 8	2 Race 9 2 Other (Specify	Resistant to Race	
	VIRAL DISEASES	 S:		
	O Bud Blight ((Tobacco Ringspot Virus)		
	O Yellow Mos	aic (Bean Yellow Mosaic Virus)		
*	O Cowpea Mos	saic (Cowpea Chlorotic Virus)		
•	O Pod Mottle	(Bean Pod Mottle Virus)		
*	O Seed Mottle	(Soybean Mosaic Virus)		
	NEMATODE DISE			
	Soybean Cys	st Nematode (Heterodera glycines)		
*	O Race 1	0 Race 2 1 Race 3	1 Race 4 0 Other (Spe	neiful
	O Lance Nema	tode (Hoplolaimus Colombus)		City/
*		oot Knot Nematode <i>(Meloidogyne incognita</i>	J	
*		ot Knot Nematode (Meloidogyne Hapla)	•	
		Knot Nematode (Meloidogyne arenaria)		
		ematode (Rotylenchulus reniformis)	•	
	<u></u>	EASE NOT ON FORM (Specify):		
20. i	PHYSIOLOGICAL RE	ESPONSES: (Enter 0 = Not Tested; 1 = Sus	ceptible; 2 = Resistant)	
×	Iron Chlorosi	s on Calcareous Soil		
	, Other (Specif	fy)		
21. 1	NSECT REACTION:	(Enter 0 = Not Tested; 1 = Susceptible; 2	= Resistant)	
	O Mexican Bear	n Beetle (Epilachna varivestis)		
4	O Potato Leaf H	Hopper (Empoasca fabae)		•
	Other (Specif	y)		
22. I	NDICATE WHICH VA	ARIETY MOST CLOSELY RESEMBLES T	HAT SUBMITTED.	
	CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
P	lant Shape	A2543	Seed Coat Luster	A2543
· L	eaf Shape	A2543	Seed Size	A2543
	eaf Color	A2543	Seed Shape	A2543
Le	eaf Size	A2543	Seedling Pigmentation	A2543
FORM	LMGS-470-57 (6-83)			7
		the contract of the contract o	the control of the co	and the second s

Page 3 of 4

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	PLANT LODGING SCORE	CM PLANT	LEAFL	ET SIZE	SEED CON	TENT	SEED SIZE G/100 SEEDS	NO. SEEDS/ POD
	MATURITY		HEIGHT	CM Width	CM Length	% Protein	% Oil		
A1662 Submitted	123	1.2	86	8.6	13.3	42.5	21.5	18.5	2.6
A2543 Name of Similar Variety	131	1.4	80	8.9	13.4	42.9	21.2	18.0	2.6

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

EXHIBIT D

ADDITIONAL DESCRIPTION OF THE VARIETY

Al662 is a mid-maturity group 1 cultivar that possesses an outstanding combination of characters needed by producers in its maturity zone. It combines high yield potential, excellent standability, very good hypocotyl elogation (emergence) score, above average protein, and resistance to many races of phytophthora megasperma f. sp. glycinea conferred by the Rps $_{1}^{K}$ alleles.

EXHIBITE

STATEMENT OF BASIS OF APPLICANT OWNERSHIP

Al662 was originated and developed by Roger L. Lussenden, an Asgrow Plant Breeder. By agreement between Asgrow Seed Company, all rights to any invention, discovery, or development made by employees are assigned to the company. No rights of such invention, discovery, or development are retained by the employee.